PRODUCT BULLETIN



KYZEN® E5631 Next Generation Stencil Cleaner

KYZEN E5631 is a versatile, cost effective solution used in all types of stencil cleaning processes including sprayin-air, ultrasonic and understencil wipe systems. KYZEN E5631 has been proven compatible with stencil foil, epoxy adhesives, frames, and mesh as well as the materials of construction found in stencil cleaning equipment.



- Works Great at Low Concentrations
- Approved for Understencil Wipe Systems
- Effective for A-Side Misprints
- Low Cost of Ownership
- Favorable GHS and Safety Ratings

PRODUCT PROPERTIES		
pH (10g/L)	Not Applicable	
FLASH POINT	None to Boiling	
BOILING POINT	220°F / 104°C	
WATER SOLUBLE	Partial	
VOC, @ 10%	87.4 g/L	

TYPICAL PROCESSES	
APPLICATION	Spray-In-Air, Ultrasonics & Printers
CONCENTRATION	>15%
TEMPERATURE	Ambient - 120°F / 49°C
RINSE	DI Water Recommended
DRY	Warm Air Recommended

The above process parameters are recommendations based on extensive testing done in KYZEN's application lab. Your KYZEN sales representative can assist you in optimizing your process parameters.

STORAGE AND HANDLING

- Packaged in Polyethylene Containers
- Store at 5-50°C/41-122°F in Original Container
- Standard Chemical Handling Practices
- Shelf Life of 5 Years, in Sealed Containers of 5 gallons / 25 liters or more

AVAILABILITY

- 1 Gallon
- 5 Liters*
- 5 Gallons
- 25 Liters*
- 55 Gallons
- 200 Liters*

* Liters Available in South Asia and Europe






ENVIRONMENTAL, HEALTH AND SAFETY REGULATIONS

KYZEN E5631 is a non-hazardous, biodegradable aqueous solution. It contains no CFCs or HAPs. Refer to the Material Safety Data Sheet for more information.

REACH 🗸 KYZEN is an ISO 9001:2015 Certified Company



COMPATIBILITY

KYZEN E5631 is compatible with all materials commonly used in electronic assembly manufacturing and cleaning processes. For specific compatibility information, please contact your KYZEN representative.



FREE CLEANING TRIALS AND PROCESS OPTIMIZATIONS


KYZEN will conduct complimentary trials at your factory or "risk-free" testing in one of our global applications laboratories in North America, Asia or Europe to ensure you achieve your goal. Increase your yields and product reliability by identifying and tuning the critical parameters of your cleaning process. With our commitment to science and understanding process, KYZEN has the flexibility to simulate and refine any cleaning process.

Each laboratory is fully equipped with an extensive array of cleaning and analytical equipment including:

- Batch Washers
- In-Line Washers
- Scanning Electron Microscope (SEM)
- Ultrasonic Systems Ion Chromatography
- SUI Systems
- Humidity Chamber
- Vapor DegreasersGC (TCD and FID)
- High Powered Microscopes

• FTIR Spectrophotometer





Aqueous, Semi-Aqueous and Vapor Phase Chemistries • Process Evaluation and Optimization Contract Cleaning • Cleanliness Testing • Soil Analysis

Penang, Malaysia SOUTHEAST ASIAN HEADQUARTERS +60 4 630 3000 Aalter, Belgium EUROPEAN HEADQUARTERS +32 50 395 374

KYZEN.com

Nashville, TN GLOBAL HEADQUARTERS +1 615 831 0888 Manchester, NH NORTH AMERICAN OPERATIONS FACILITY +1 603 622 2900 Shanghai, China CHINA OPERATIONS FACILITY +86 21 5998 7189

The information contained herein is based on available data from reliable sources and is accurate to the best of KYZEN Corporation's knowledge at the time of this publication. The user is solely responsible for determining the suitability and completeness of such information for their particular application and for adopting appropriate safety precautions. This data is not to be taken as a warranty or representation for which KYZEN assumes legal or financial responsibility. 011420